


LC 4



OIL-LUBRICATED ROTARY VANE VACUUM PUMP



TECHNICAL DATA

LC 4		
Part number		9601070
Frequency	Hz	50 60
Nominal flow rate	m³/h	4 4,8
Final total pressure	mbar (Abs)	2
Maximum inlet air temperature	°C	40
Oil type		SW 40
Oil quantity	dm³	0,065
Noise level (UNI EN ISO 2151±3dB)	dB(A)	48 52
Weight	kg	5,4

CURVES




NOTE: Curves refer to suction pressure and temperature of 20°C (tolerance ±10%)

LC 4

OIL-LUBRICATED ROTARY VANE VACUUM PUMP

DIMENSIONS




MOTORS

LC 4 [1 Phase]						
ID	POWER [kW]	VOLTAGE [V]	FREQUENCY [Hz]	EFFICIENCY	RPM	Notes
MA	0,12 0,15	220-240	50 60	////	2800 3300	S3 75%
MX	0,15	110-115	60	////	3300	S3 75% - UL
NC	0,12 0,15	100-115	50 60	////	2800 3300	S3 75%
LC 4 [3 Phase]						
TN	0.12 0,15	Δ175-260/Y300-450 Δ200-300/Y346-520	50 60	IE2	2800 3300	
TV	0,12 0,15	Δ175-260/Y300-450 Δ200-300/Y346-520	50 60		2800 3300	UL

Rev. 01-26 Subject to change without notice

LC 4

OIL-LUBRICATED ROTARY VANE VACUUM PUMP



ACCESSORIES

		PART NUMBER
1	Nut	0202001
2	Nut	4 x 0204005
3	Anti-vibration mount	4 x 1503005
4	Reducer	2001012
5	Elbow fitting	2101001
6	Hose barb fitting ATG	2103001 (Ø7)
7	Hose barb fitting ATG	2103002 (Ø7)
8	Hose barb fitting ATG	2103003 (Ø9)
9	Hose barb fitting ATG	2103004 (Ø9)
10	Hose barb fitting ATG	2103006 (Ø12)
11	Nipples	2201005
12	Reducer	2202007
13	Fitting	4101024
14	Fitting	4101025
15	Exhaust Filter Protection	4502020
16	FCT Filtre	9001004
17	VMR Vacuum Gauge	9009004