

PA 315


CLAW PUMPS



TECHNICAL DATA

		PA 315
Part number		9816003
Frequency	Hz	50 60
Nominal flow rate	m³/h	250 300
Final total pressure	mbar (Abs)	200
Oil capacity	dm³	0,5
Noise level (UNI EN ISO 2151±3dB)	dB(A)	79 83
Weight	kg	160

CURVES




NOTE: Curves refer to suction pressure and temperature of 20°C (tolerance ±10%)

PA 315

CLAW PUMPS


DIMENSIONS



MOTORS

PA 315 [3 phase]

ID	POWER [kW]	VOLTAGE [V]	FREQUENCY [Hz]	EFFICIENCY	RPM	Notes
SF	5,5	Δ230/Y400	50	IE3	2800	
	5,5	Δ265/Y460	60		3300	
SJ	5,5	Δ200/Y364	50	IE3	2800	
	6,5		60		3300	
SL	5,5	YY190-200/Y380-400	50	IE3	2800	UL
	6,6	YY208-230/Y460	60		3300	
	6,6	YY200-220/Y400-440	60		3300	
TZ	6,6	Δ220/Y380	60	IE2	3300	UL
	6,6	Δ254/Y440	60		3300	



ACCESSORIES

		PART NUMBER
1	Nut	0202004
2	Reducer	2001034
3	Reducer	2001049
4	Elbow	2101018
5	Hose barb fitting ATG	2103013
6	Hose barb fitting ATG	2103016
7	T Fitting	2106047
8	T Fitting	2106073
9	Nipples	2201007
10	FCM Filter	9001019
11	Silencer kit	9002030
12	Vacuum regulating valve	9004018
13	VNR Valve	90070106
14	VMR Vacuum Gauge	9009003

15/09/2026 15:08 Subject to change without notice