


SB 12


OIL-FREE ROTARY VANE VACUUM PUMP



TECHNICAL DATA

SB 12		
Part number	9801029	
Frequency	Hz	50 60
Nominal flow rate	CFM	7.05 8.25
Final total pressure	Torr (Abs)	90
Noise level (UNI EN ISO 2151±3dB)	dB(A)	64 66
Weight	LBS	31.9

CURVES




NOTE: Curves refer to suction pressure and temperature of 20°C (tolerance ±10%)



SB 12

OIL-FREE ROTARY VANE VACUUM PUMP

DIMENSIONS




MOTORS

SB 12 [1 Phase]						
ID	POWER [Hp]	VOLTAGE [V]	FREQUENCY [Hz]	EFFICIENCY	RPM	Notes
MA	0.5	220-240	50	//	1400	
	0.6		60		1700	
SB 12 [3 Phase]						
TX	0.5	Δ230/Y400	50	IE2	1400	
	0.6	Δ265/Y460	60		1700	

09/25/2026 10:50 AM Subject to change without notice

SB 12

OIL-FREE ROTARY VANE VACUUM PUMP



ACCESSORIES

		PART NUMBER
1	Nut	0202002
2	Reducer	2001004
3	Elbow	2101003
4	Hose barb fitting ATG	2103010
5	T Fitting	2106059
6	Nipples	2201022
7	FCT Filtre	9001010
8	Vacuum regulating valve	9004012
9	VNE Valve	9007005
10	VMR Vacuum Gauge	9009009
11	Anti-vibration mount kit	KA000002

09/25/2026 10:50 AM Subject to change without notice