

VB 315 FLEXDRIVE


CLAW PUMPS



TECHNICAL DATA

VB 315 FLEXDRIVE			
Part number	9816004/FD		
Inverter power supply	380÷480Vac 50/60Hz		
Rotational speed	2000 ÷ 3500		
Nominal flow rate	CFM	223.8	
Final total pressure	Torr (Abs)	123.75	
Oil capacity	in³	61	
Noise level (UNI EN ISO 2151±3dB)	dB(A)	74	
Weight	LBS	653.4	

CURVES




NOTE: Curves refer to suction pressure and temperature of 20°C (tolerance ±10%)

VB 315 FLEXDRIVE

CLAW PUMPS

DIMENSIONS




MOTORS

VB 315 FLEXDRIVE [3 phase]

ID	POWER [Hp]	VOLTAGE [V]	FREQUENCY [Hz]	EFFICIENCY	RPM	Notes
SP	10.05	380 ÷ 480	50 / 60	IE5	///	

VB 315 FLEXDRIVE

CLAW PUMPS



ACCESSORIES

		PART NUMBER
1	FCM Filter	9001019
2	Fitting	2103016
3	Nipples	2201007
4	T Fitting	2106073
5	Reducer	2001049
6	Nut	0202004
7	VMR Vacuum Gauge	9009003
8	Reducer	2001078
9	Vacuum regulating valve	9004018
10	VNR Valve	9007106
11	Elbow	2101018

09/15/2026 03:38 PM Subject to change without notice