LC 106WR

LUBRICATED VANE VACUUM PUMP

TECHNICAL DATA

		LC 106WR
Part number		9690038
Frequency	**Hz**	50 60
Nominal flow rate	**m³/h**	106 127
Final total pressure	**mbar (Abs)**	4
Max inlet pressure for water vapour	**mbar (Abs)**	40
Max water vapour pumping rate	**kg/h**	3.2
Continuous operating range	**mbar (Abs)**	400 ÷ 4
Maximum inlet air temperature	**°C**	40
Oil type		SW 100
Oil capacity (Min - Max)	**dm³**	2 ÷ 3
Noise level (UNI EN ISO 2151±3dB)	**dB(A)**	66 68
Weight	**kg**	71

04/09/2026 12:28 Subject to change without notice

CURVES





NOTE: Curves refer to suction pressure and temperature of 20°C (tolerance ±10%)

LC 106WR

LUBRICATED VANE VACUUM PUMP

DIMENSIONS





MOTORS

LC 106WR [3Phase]						
ID	**POWER [kW]**	**VOLTAGE [V]**	**FREQUENCY [Hz]**	**EFFICIENCY**	**RPM**	**Notes**
SF	2,2 2,7	Δ230/Y400 Δ265/Y460	50 60	IE3	1400 1700	
SL	2,2 3 3	YY190-200/Y380-400 YY208-230/Y460 YY200-220/Y400-440	50 60 60	IE3 IE3 IE2	1400 1700 1700	UL

04/09/2026 12:28 Subject to change without notice

LC 106WR

LUBRICATED VANE VACUUM PUMP



ACCESSORIES

		PART NUMBER
1	Reducer	2001012
2	Elbow fitting	2101001
3	Elbow	2101016
4	Hose barb fitting ATG	2103015
5	Pipe	5001022
6	FSC Condensation separator filter	9001034
7	VMR Vacuum Gauge	9009009
8	Filter clogging pressure gauge SIF	9014003
9	Clogged SIF filter switch	9019001

04/09/2026 12:28 Subject to change without notice